

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 3 / 13 / 09

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adams Cty	586	84.3	0.3	9.2	0.0	0.0	6.1	0.0
Ashland	663	65.2	0.0	2.1	22.3	0.2	10.3	0.0
Barron	1,145	84.6	4.8	8.4	0.5	0.2	1.5	0.0
Bayfield C	363	59.0	0.3	3.3	29.5	0.3	7.7	0.0
Brown	6,663	41.4	5.1	34.9	6.6	6.6	5.4	0.0
Buffalo	266	88.0	0.0	7.9	0.4	0.0	3.8	0.0
Burnett	544	63.4	0.6	4.0	17.3	0.0	14.7	0.0
Calumet	645	64.5	4.2	20.6	0.2	8.1	2.5	0.0
Chippewa	1,419	90.6	0.7	2.6	0.6	1.1	4.4	0.1
Clark	804	72.0	0.4	25.6	0.1	0.1	1.7	0.0
Columbia	855	77.4	0.8	17.0	0.1	0.2	4.4	0.0
Crawford C	309	91.9	0.3	5.2	0.3	0.0	2.3	0.0
Dane	7,350	27.5	21.5	36.0	0.2	7.1	7.8	0.0
Dodge	1,361	65.3	1.2	28.7	0.1	0.4	4.2	0.0
Door	479	81.8	2.3	13.4	0.4	0.2	1.9	0.0
Douglas Ct	1,233	80.9	0.6	4.6	1.1	0.8	11.9	0.0
Dunn	927	78.4	0.6	5.9	0.1	9.9	5.0	0.0
Eau Claire	2,394	67.7	1.3	8.6	0.5	11.1	10.9	0.0
Florence	128	90.6	0.0	5.5	1.6	0.0	2.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 3 / 13 / 09

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Fond du La	1,988	62.3	3.1	24.4	0.0	4.2	6.0	0.0
Forest	346	69.1	0.0	3.5	15.0	0.0	12.4	0.0
Grant Cty	1,243	92.1	0.8	5.1	0.0	0.2	1.7	0.0
Green Cty	655	80.2	0.2	17.3	0.0	0.3	2.1	0.0
Green Lake	315	71.7	0.3	21.3	0.0	2.2	4.1	0.3
Iowa Cty	356	85.1	1.4	8.1	0.3	0.6	4.5	0.0
Iron Cty	97	*	*	*	*	*	*	*
Jackson	682	68.2	0.6	6.0	21.8	0.7	2.5	0.1
Jefferson	1,725	51.2	0.7	45.6	0.1	0.3	2.0	0.1
Juneau	725	87.3	0.6	6.9	0.1	0.7	4.4	0.0
Kenosha	4,128	34.8	17.5	40.5	0.4	0.6	6.2	0.0
Kewaunee	323	71.2	1.5	23.8	0.3	0.0	3.1	0.0
La Crosse	2,425	67.3	3.5	4.2	0.4	14.9	9.7	0.0
Lafayette	220	75.9	1.4	20.9	0.0	0.0	1.8	0.0
Langlade C	488	87.1	0.6	8.2	0.0	0.0	4.1	0.0
Lincoln Ct	475	86.9	0.2	7.2	0.4	0.0	5.3	0.0
Manitowoc	1,660	58.1	1.3	23.0	0.7	10.6	6.2	0.0
Marathon C	2,683	55.7	1.8	9.9	0.3	25.2	7.1	0.0
Marinette	1,051	94.9	0.1	2.5	0.5	0.1	2.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 3 / 13 / 09

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Marquette	254	74.8	0.4	20.5	0.4	0.0	3.9	0.0
Menominee	588	0.2	0.0	15.8	34.2	0.2	49.3	0.3
Milwaukee	38,270	11.5	48.4	31.9	0.2	3.9	4.0	0.0
Monroe	1,153	75.0	1.1	19.1	0.6	1.1	3.0	0.0
Oconto	631	91.6	0.2	5.7	0.3	0.2	2.1	0.0
Oneida	633	91.0	0.3	4.4	0.6	0.3	3.3	0.0
Outagamie	2,593	56.8	2.4	21.4	0.7	13.3	5.3	0.0
Ozaukee	498	75.1	3.0	12.2	0.4	0.6	8.6	0.0
Pepin	152	87.5	0.7	6.6	0.7	0.7	3.9	0.0
Pierce	724	86.7	1.1	5.2	0.6	0.6	5.8	0.0
Polk	982	92.4	0.2	3.5	0.6	0.1	3.3	0.0
Portage	1,210	66.6	0.6	15.7	0.2	13.6	3.3	0.0
Price	475	89.5	0.4	3.4	0.2	3.4	3.2	0.0
Racine Cou	5,568	25.5	26.2	39.4	0.1	0.3	8.1	0.3
Richland C	398	87.7	0.0	10.8	0.3	0.3	1.0	0.0
Rock	4,154	62.5	9.7	23.9	0.1	0.9	3.0	0.0
Rusk	414	89.4	1.2	4.3	0.0	0.0	5.1	0.0
Sauk	1,459	73.4	1.0	19.3	4.2	0.0	2.0	0.0
Sawyer	641	50.2	1.1	4.1	40.9	0.8	3.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 3 / 13 / 09

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Shawano	971	66.6	0.5	10.7	13.6	0.3	8.2	0.0
Sheboygan	2,377	45.8	2.7	29.7	0.0	17.7	4.0	0.0
St. Croix	1,196	82.2	1.3	8.5	0.3	2.5	5.3	0.0
Taylor	453	85.2	0.2	10.6	0.0	0.0	4.0	0.0
Trempealea	800	62.1	0.1	35.3	0.4	0.3	1.9	0.0
Vernon	758	88.0	0.7	8.0	0.1	0.4	2.8	0.0
Vilas	569	47.1	0.5	2.1	43.4	0.0	6.7	0.2
Walworth	2,062	45.1	1.1	49.0	0.6	0.8	3.3	0.0
Washburn	449	87.8	0.0	5.6	1.6	1.1	4.0	0.0
Washington	1,522	75.1	3.0	15.0	0.3	0.7	5.8	0.0
Waukesha	2,439	48.8	5.7	36.9	0.4	1.2	7.1	0.0
Waupaca	853	85.7	0.0	12.7	0.0	0.1	1.5	0.0
Waushara C	501	54.9	0.4	42.5	0.2	0.2	1.8	0.0
Winnebago	2,613	63.2	3.8	17.5	0.3	8.1	7.0	0.0
Wood	1,569	79.9	0.7	9.2	2.0	4.0	4.3	0.0
<b>Wisconsin</b>	<b>129,648</b>	<b>45.1</b>	<b>18.5</b>	<b>24.9</b>	<b>1.7</b>	<b>4.4</b>	<b>5.2</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>31.6</b>	<b>19.4</b>	<b>40.9</b>	<b>1.0</b>	<b>2.5</b>	<b>1.8</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 3 / 13 / 09

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Adams Cty	586	34.6	20.0	45.4
Ashland	663	28.5	22.6	48.9
Barron	1,145	36.6	21.5	41.9
Bayfield C	363	30.6	20.1	49.3
Brown	6,663	32.0	22.9	45.1
Buffalo	266	37.6	17.7	44.7
Burnett	544	30.5	22.2	47.2
Calumet	645	30.5	22.3	47.1
Chippewa	1,419	31.1	22.3	46.6
Clark	804	33.6	20.3	46.1
Columbia	855	37.3	21.8	40.9
Crawford C	309	37.5	19.7	42.7
Dane	7,350	36.1	21.8	42.1
Dodge	1,361	34.3	20.6	45.1
Door	479	37.0	15.4	47.6
Douglas Ct	1,233	36.2	20.9	42.9
Dunn	927	34.0	19.1	46.9
Eau Claire	2,394	35.3	19.5	45.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 3 / 13 / 09

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Florence	128	32.0	20.3	47.7
Fond du La	1,988	32.2	22.4	45.4
Forest	346	30.3	22.3	47.4
Grant Cty	1,243	33.7	20.1	46.2
Green Cty	655	33.4	21.4	45.2
Green Lake	315	39.0	15.9	45.1
Iowa Cty	356	42.7	20.5	36.8
Iron Cty	97	*	*	*
Jackson	682	30.5	20.2	49.3
Jefferson	1,725	35.9	19.7	44.3
Juneau	725	34.9	21.0	44.1
Kenosha	4,128	37.3	22.1	40.6
Kewaunee	323	39.6	15.8	44.6
La Crosse	2,425	34.0	22.1	44.0
Lafayette	220	35.0	21.8	43.2
Langlade C	488	33.4	20.5	46.1
Lincoln Ct	475	33.9	20.6	45.5
Manitowoc	1,660	36.9	18.4	44.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 3 / 13 / 09

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Marathon C	2,683	34.2	21.7	44.1
Marinette	1,051	31.8	22.5	45.8
Marquette	254	37.4	16.5	46.1
Menominee	588	31.5	22.3	46.3
Milwaukee	38,270	34.1	22.0	43.9
Monroe	1,153	36.2	21.4	42.4
Oconto	631	35.3	18.5	46.1
Oneida	633	41.1	16.7	42.2
Outagamie	2,593	32.5	22.0	45.5
Ozaukee	498	36.1	22.5	41.4
Pepin	152	32.2	13.8	53.9
Pierce	724	32.6	20.4	47.0
Polk	982	35.0	23.4	41.5
Portage	1,210	38.0	19.8	42.2
Price	475	29.3	19.8	50.9
Racine Cou	5,568	38.1	19.4	42.5
Richland C	398	36.2	20.1	43.7
Rock	4,154	38.5	20.0	41.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 3 / 13 / 09

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Rusk	414	34.8	19.3	45.9
Sauk	1,459	36.5	20.4	43.1
Sawyer	641	32.3	20.3	47.4
Shawano	971	29.1	24.9	45.9
Sheboygan	2,377	31.0	23.4	45.6
St. Croix	1,196	37.7	18.5	43.8
Taylor	453	37.3	20.1	42.6
Trempealea	800	36.3	20.6	43.1
Vernon	758	35.2	21.1	43.7
Vilas	569	32.5	22.1	45.3
Walworth	2,062	39.8	18.8	41.4
Washburn	449	31.6	21.6	46.8
Washington	1,522	35.4	21.6	43.0
Waukesha	2,439	41.2	18.4	40.3
Waupaca	853	37.3	23.3	39.4
Waushara C	501	37.9	17.4	44.7
Winnebago	2,613	39.0	20.2	40.8
Wood	1,569	41.8	18.2	40.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 3 / 13 / 09

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>Wisconsin</b>	<b>129,648</b>	<b>35.0</b>	<b>21.2</b>	<b>43.8</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>37.6</b>	<b>22.1</b>	<b>40.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	139	11.5 (56)	14.4 (56)	571	6.1 (53)	2.6 (29)	13.7 (39)	264	17.8 (46)	12.5 (23)		423	7.1 (30)
Ashland	133	3.0 (1)	13.5 (52)	655	4.7 (26)	2.1 (16)	12.8 (31)	320	15.0 (15)	12.2 (20)		519	6.7 (29)
Barron	279	8.2 (35)	9.7 (37)	1,125	4.6 (24)	2.7 (32)	12.3 (25)	488	16.8 (35)	13.9 (37)		814	9.7 (49)
Bayfield C	82	* *	* *	354	2.3 (1)	4.5 (63)	14.4 (48)	175	17.1 (37)	17.7 (59)		270	6.3 (25)
Brown	1,619	7.5 (27)	8.9 (29)	6,478	4.6 (24)	4.1 (58)	14.0 (41)	2,953	13.8 (12)	13.6 (35)		4,845	6.4 (26)
Buffalo	67	* *	* *	261	2.3 (1)	2.7 (32)	10.7 (12)	118	16.1 (28)	13.6 (35)		190	12.1 (60)
Burnett	118	5.9 (13)	11.0 (45)	534	4.3 (13)	3.0 (39)	15.2 (56)	247	16.2 (29)	16.2 (51)		410	3.9 (9)
Calumet	148	8.8 (40)	8.1 (22)	633	6.5 (57)	5.5 (68)	12.5 (27)	302	16.6 (32)	15.9 (48)		482	4.6 (13)
Chippewa	335	6.6 (16)	8.1 (22)	1,401	6.9 (65)	2.4 (23)	12.8 (31)	646	17.5 (40)	13.3 (30)		1,052	12.5 (62)
Clark	180	9.4 (45)	9.4 (35)	788	5.5 (42)	2.3 (18)	13.1 (34)	373	21.7 (64)	11.0 (11)		582	13.9 (66)
Columbia	222	9.0 (43)	9.9 (40)	847	5.5 (42)	4.3 (60)	10.4 (9)	342	16.4 (30)	12.0 (17)		598	8.9 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 2  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	88	* *	* *	306	6.2 (55)	3.9 (54)	8.8 (2)	133	12.0 (5)	12.0 (17)		213	11.3 (56)
Dane	1,882	7.5 (27)	8.4 (26)	7,140	4.5 (20)	3.1 (42)	12.6 (29)	3,064	12.2 (6)	10.2 (9)		5,132	11.0 (55)
Dodge	334	8.4 (37)	6.3 (5)	1,329	4.7 (26)	4.4 (62)	9.9 (7)	601	12.3 (7)	7.8 (3)		966	5.0 (16)
Door	124	7.3 (26)	10.5 (44)	474	4.0 (9)	3.8 (51)	8.9 (3)	229	16.6 (32)	13.5 (33)		339	3.8 (8)
Douglas Ct	302	4.6 (6)	13.6 (54)	1,218	3.9 (7)	3.8 (51)	14.0 (41)	529	19.3 (56)	17.0 (55)		821	13.4 (64)
Dunn	202	5.4 (8)	9.4 (35)	907	6.0 (50)	3.4 (47)	10.9 (13)	420	19.5 (58)	10.7 (10)		677	4.9 (14)
Eau Claire	578	5.5 (10)	9.7 (37)	2,370	5.4 (39)	2.5 (25)	10.2 (8)	1,070	17.5 (40)	11.7 (14)		1,724	11.8 (59)
Florence	26	* *	* *	125	8.8 (71)	0.0 (1)	11.2 (16)	62	* *	* *		86	* *
Fond du La	455	9.9 (48)	8.1 (22)	1,946	7.0 (66)	3.4 (47)	10.5 (11)	898	14.7 (14)	9.7 (5)		1,467	8.9 (44)
Forest	69	* *	* *	334	4.2 (12)	3.0 (39)	17.1 (64)	163	17.2 (38)	20.9 (66)		248	11.3 (56)
Grant Cty	286	7.0 (23)	11.5 (48)	1,223	4.5 (20)	3.8 (51)	11.0 (14)	570	15.3 (18)	12.1 (19)		940	3.2 (2)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 3  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	148	10.1 (50)	12.2 (50)	642	7.9 (68)	2.6 (29)	18.1 (69)	285	17.9 (47)	24.9 (68)		464	10.6 (53)
Green Lake	69	* *	* *	307	2.6 (3)	2.6 (29)	13.0 (33)	136	12.5 (9)	14.0 (38)		221	8.6 (42)
Iowa Cty	110	12.7 (57)	6.4 (6)	346	6.6 (59)	1.7 (7)	11.8 (22)	131	17.6 (43)	9.9 (7)		232	8.6 (42)
Iron Cty	26	* *	* *	94	* *	* *	* *	45	* *	* *		67	* *
Jackson	137	4.4 (4)	16.1 (57)	672	6.7 (61)	1.9 (12)	14.0 (41)	329	21.9 (65)	16.1 (50)		482	7.9 (35)
Jefferson	402	6.2 (14)	8.5 (27)	1,686	4.3 (13)	2.9 (37)	12.4 (26)	764	17.5 (40)	14.5 (43)		1,236	5.7 (21)
Juneau	155	5.8 (11)	7.7 (16)	701	5.1 (34)	1.7 (7)	15.7 (61)	319	15.4 (19)	16.3 (53)		531	7.2 (31)
Kenosha	1,107	10.7 (52)	6.8 (9)	4,028	7.9 (68)	1.8 (10)	15.5 (59)	1,652	15.9 (24)	12.5 (23)		2,803	12.5 (62)
Kewaunee	77	* *	* *	321	5.3 (38)	1.2 (3)	18.1 (69)	143	20.3 (62)	13.3 (30)		229	14.8 (68)
La Crosse	600	8.3 (36)	8.0 (19)	2,363	6.7 (61)	3.9 (54)	11.3 (17)	1,059	19.9 (61)	11.0 (11)		1,764	6.6 (27)
Lafayette	54	* *	* *	217	7.8 (67)	1.8 (10)	15.2 (56)	92	* *	* *		157	10.2 (51)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 4  
Run Date: 3 / 13 / 09

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Langlade C	113	8.0 (34)	8.0 (19)	484	5.0 (32)	2.3 (18)	13.2 (35)	225	20.4 (63)	18.7 (62)	370 19.2 (70)
Lincoln Ct	110	3.6 (3)	9.1 (32)	468	5.6 (45)	1.7 (7)	15.0 (54)	216	16.7 (34)	17.1 (56)	356 5.1 (17)
Manitowoc	403	10.7 (52)	6.5 (7)	1,641	4.8 (29)	3.4 (47)	14.0 (41)	737	18.7 (52)	15.6 (47)	1,140 8.2 (38)
Marathon C	622	7.7 (32)	5.1 (1)	2,633	8.3 (70)	1.5 (4)	14.0 (41)	1,167	18.3 (48)	13.3 (30)	2,003 4.1 (11)
Marinette	222	5.4 (8)	9.0 (30)	1,030	4.7 (26)	6.7 (70)	8.6 (1)	474	9.3 (1)	5.3 (1)	769 3.9 (9)
Marquette	56	* *	* *	249	6.8 (63)	2.0 (14)	17.7 (67)	117	19.7 (60)	15.4 (46)	178 5.1 (17)
Menominee	147	3.4 (2)	14.3 (55)	570	2.6 (3)	1.1 (2)	21.6 (71)	263	23.2 (68)	21.3 (67)	424 5.9 (23)
Milwaukee	9,538	9.6 (46)	5.9 (3)	37,407	5.9 (48)	4.1 (58)	13.4 (36)	16,518	16.5 (31)	14.3 (40)	26,952 17.8 (69)
Monroe	266	8.6 (38)	10.2 (41)	1,127	4.5 (20)	1.5 (4)	14.7 (51)	484	15.9 (24)	12.6 (25)	818 6.6 (27)
Oconto	136	8.8 (40)	10.3 (42)	623	4.5 (20)	1.6 (6)	15.9 (62)	287	18.8 (54)	18.1 (60)	469 7.2 (31)
Oneida	163	8.6 (38)	9.8 (39)	627	5.4 (39)	4.6 (64)	9.6 (6)	267	10.9 (4)	13.1 (28)	430 5.8 (22)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 5  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	677	9.3 (44)	6.5 (7)	2,523	4.0 (9)	5.0 (66)	11.8 (22)	1,163	18.5 (50)	13.2 (29)		1,655	9.0 (46)
Ozaukee	133	6.8 (20)	13.5 (52)	487	6.0 (50)	2.9 (37)	11.1 (15)	209	12.4 (8)	6.7 (2)		343	9.9 (50)
Pepin	27	* *	* *	150	2.7 (5)	4.7 (65)	11.3 (17)	82	* *	* *		119	13.4 (64)
Pierce	154	7.1 (24)	10.4 (43)	711	6.8 (63)	2.0 (14)	14.3 (47)	336	19.3 (56)	9.8 (6)		538	12.3 (61)
Polk	259	6.9 (21)	5.4 (2)	956	3.9 (7)	4.3 (60)	9.3 (4)	400	13.3 (10)	10.0 (8)		679	9.4 (48)
Portage	278	7.6 (30)	6.8 (9)	1,187	6.1 (53)	2.7 (32)	11.7 (21)	502	13.5 (11)	12.4 (21)		867	4.3 (12)
Price	79	* *	* *	466	4.3 (13)	3.0 (39)	14.6 (49)	242	21.9 (65)	15.3 (45)		382	3.4 (5)
Racine Cou	1,461	11.0 (55)	6.8 (9)	5,375	5.1 (34)	3.3 (45)	13.4 (36)	2,298	15.7 (22)	13.0 (26)		3,921	10.9 (54)
Richland C	99	* *	* *	396	4.8 (29)	2.8 (36)	17.2 (65)	174	19.5 (58)	20.7 (65)		278	14.0 (67)
Rock	1,067	7.2 (25)	7.2 (14)	4,074	4.3 (13)	3.9 (54)	14.1 (46)	1,692	17.0 (36)	14.6 (44)		2,840	8.5 (41)
Rusk	85	* *	* *	409	3.7 (6)	2.7 (32)	15.2 (56)	191	22.5 (67)	19.9 (64)		307	5.2 (20)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 6  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	348	4.6 (6)	9.2 (33)	1,424	5.0 (32)	2.3 (18)	15.1 (55)	618	18.4 (49)	17.3 (57)		1,040	3.2 (2)
Sawyer	134	6.7 (18)	9.0 (30)	629	4.3 (13)	2.5 (25)	13.4 (36)	294	18.7 (52)	18.4 (61)		479	8.1 (37)
Shawano	209	6.7 (18)	7.2 (14)	946	5.6 (45)	1.9 (12)	15.6 (60)	439	14.4 (13)	14.4 (41)		738	7.9 (35)
Sheboygan	568	8.8 (40)	6.9 (13)	2,326	5.5 (42)	5.4 (67)	12.5 (27)	1,074	15.6 (21)	14.2 (39)		1,721	3.2 (2)
St. Croix	288	6.9 (21)	8.0 (19)	1,174	6.0 (50)	2.5 (25)	11.3 (17)	521	15.7 (22)	14.4 (41)		849	4.9 (14)
Taylor	120	10.8 (54)	11.7 (49)	443	4.1 (11)	6.5 (69)	10.4 (9)	185	9.7 (2)	8.1 (4)		325	2.5 (1)
Trempealea	196	7.7 (32)	9.2 (33)	770	4.4 (19)	2.2 (17)	17.7 (67)	336	17.6 (43)	17.6 (58)		555	9.2 (47)
Vernon	182	6.6 (16)	11.0 (45)	742	5.4 (39)	2.4 (23)	12.7 (30)	327	17.7 (45)	15.9 (48)		534	5.1 (17)
Vilas	115	9.6 (46)	11.3 (47)	547	5.1 (34)	3.7 (50)	17.6 (66)	245	19.2 (55)	16.3 (53)		405	3.5 (7)
Walworth	520	5.8 (11)	8.1 (22)	2,022	5.9 (48)	2.5 (25)	14.8 (52)	828	15.2 (17)	16.2 (51)		1,453	7.2 (31)
Washburn	92	* *	* *	445	4.3 (13)	7.4 (71)	9.4 (5)	210	10.5 (3)	12.4 (21)		339	8.3 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 7  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	401	6.2 (14)	6.2 (4)	1,494	5.8 (47)	2.3 (18)	12.2 (24)	653	15.5 (20)	11.9 (16)	1,054	8.2 (38)
Waukesha	651	7.5 (27)	7.8 (17)	2,400	4.8 (29)	2.3 (18)	13.7 (39)	963	17.3 (39)	13.0 (26)	1,550	6.1 (24)
Waupaca	218	10.6 (51)	8.7 (28)	830	6.5 (57)	3.9 (54)	14.9 (53)	339	15.0 (15)	11.8 (15)	591	3.4 (5)
Waushara C	111	4.5 (5)	12.6 (51)	488	6.6 (59)	3.1 (42)	16.4 (63)	222	18.5 (50)	19.4 (63)	357	10.4 (52)
Winnebago	677	10.0 (49)	6.8 (9)	2,569	6.2 (55)	3.3 (45)	14.6 (49)	1,044	16.0 (26)	13.5 (33)	1,819	11.4 (58)
Wood	462	7.6 (30)	7.8 (17)	1,531	5.2 (37)	3.2 (44)	11.6 (20)	611	16.0 (26)	11.1 (13)	988	7.8 (34)
Wisconsin	31,940	8.5	7.6	126,769	5.5	3.5	13.3	55,875	16.3	13.6	91,619	11.0
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 1  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)			
Adams Cty	142	64.1 (37)	56	* *	86	* *	45	* *	54	* *	289	73.7 (65)	582	20.8 (71)
Ashland	134	71.6 (16)	75	* *	109	14.7 (10)	51	* *	73	* *	343	86.3 (20)	659	10.3 (53)
Barron	284	71.1 (17)	116	28.4 (15)	160	8.8 (34)	109	21.1 (10)	111	8.1 (12)	522	81.4 (49)	1,137	7.8 (25)
Bayfield C	82	* *	47	* *	49	* *	31	* *	44	* *	195	84.1 (33)	354	9.0 (38)
Brown	1,619	58.9 (49)	754	23.5 (27)	1,107	10.4 (28)	524	12.0 (19)	680	4.0 (26)	3,173	78.7 (56)	6,590	9.1 (40)
Buffalo	67	* *	31	* *	41	* *	22	* *	30	* *	126	88.9 (10)	266	10.2 (50)
Burnett	117	68.4 (22)	45	* *	73	* *	39	* *	44	* *	241	97.1 (1)	540	10.0 (45)
Calumet	148	62.2 (41)	67	* *	90	* *	48	* *	63	* *	330	78.5 (57)	643	9.0 (38)
Chippewa	335	62.1 (42)	132	27.3 (18)	226	11.1 (23)	79	* *	106	5.7 (21)	709	88.3 (14)	1,416	8.2 (29)
Clark	180	77.2 (3)	73	* *	101	6.9 (40)	54	* *	68	* *	413	86.7 (17)	803	8.1 (26)
Columbia	221	70.1 (19)	106	34.0 (5)	137	16.8 (5)	75	* *	91	* *	365	79.7 (53)	853	8.9 (36)
Crawford C	87	* *	40	* *	49	* *	34	* *	38	* *	138	88.4 (13)	307	3.9 (2)
Dane	1,885	76.7 (5)	890	45.1 (1)	1,170	22.8 (1)	737	19.4 (13)	804	10.9 (8)	3,306	84.7 (29)	7,200	5.9 (11)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 2  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dodge	333	76.0 (8)	136	30.1 (13)	199	16.6 (6)	109	22.9 (8)	131	12.2 (6)	653	90.5 (5)	1,340	5.3 (6)
Door	122	67.2 (29)	51	* *	71	* *	36	* *	49	* *	239	86.6 (18)	470	5.1 (5)
Douglas Ct	302	66.2 (33)	138	30.4 (12)	205	12.2 (17)	126	31.0 (1)	134	20.1 (1)	570	82.5 (43)	1,215	8.1 (26)
Dunn	205	73.7 (9)	102	28.4 (15)	125	8.8 (34)	72	* *	99	* *	460	85.9 (22)	920	5.5 (9)
Eau Claire	577	69.8 (20)	243	25.9 (21)	345	8.4 (37)	180	16.7 (14)	229	7.4 (14)	1,163	83.1 (39)	2,394	4.8 (4)
Florence	25	* *	14	* *	14	* *	9	* *	12	* *	67	* *	127	10.2 (50)
Fond du La	454	67.4 (28)	232	29.7 (14)	329	11.6 (20)	175	21.7 (9)	224	6.3 (18)	974	85.6 (24)	1,978	7.6 (23)
Forest	69	* *	29	* *	49	* *	17	* *	27	* *	179	79.9 (52)	341	15.8 (69)
Grant Cty	286	60.8 (44)	140	26.4 (19)	161	12.4 (15)	79	* *	114	4.4 (23)	617	70.5 (66)	1,240	8.2 (29)
Green Cty	148	58.1 (51)	82	* *	105	10.5 (27)	62	* *	80	* *	319	87.5 (15)	648	12.0 (61)
Green Lake	69	* *	38	* *	51	* *	24	* *	31	* *	146	75.3 (62)	310	10.0 (45)
Iowa Cty	110	65.5 (35)	50	* *	58	* *	39	* *	46	* *	140	90.0 (6)	354	10.2 (50)
Iron Cty	27	* *	8	* *	12	* *	11	* *	8	* *	46	* *	96	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 3  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household				
County	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	%  (Rank)		
Jackson	137	67.9 (25)	69	* *	99	* *	49	* *	63	* *	360	81.7 (47)	681	10.1 (48)
Jefferson	406	68.2 (24)	203	25.1 (23)	258	11.6 (20)	144	6.9 (24)	178	3.4 (27)	817	86.9 (16)	1,693	8.2 (29)
Juneau	158	72.2 (12)	85	* *	112	8.0 (39)	77	* *	83	* *	348	76.1 (61)	720	19.3 (70)
Kenosha	1,100	62.3 (40)	429	21.2 (32)	651	8.6 (36)	316	7.6 (23)	394	2.8 (30)	1,794	80.9 (50)	4,073	9.4 (41)
Kewaunee	77	* *	32	* *	39	* *	29	* *	29	* *	158	67.7 (68)	323	7.1 (20)
La Crosse	595	67.6 (27)	259	24.7 (24)	341	16.4 (8)	170	20.6 (11)	208	6.7 (17)	1,141	86.6 (18)	2,415	3.8 (1)
Lafayette	54	* *	23	* *	33	* *	17	* *	23	* *	99	* *	218	6.9 (19)
Langlade C	113	57.5 (52)	54	* *	68	* *	35	* *	48	* *	240	83.3 (38)	488	15.0 (67)
Lincoln Ct	110	56.4 (54)	52	* *	76	* *	35	* *	46	* *	228	89.0 (9)	474	13.7 (64)
Manitowoc	402	60.0 (45)	154	24.0 (26)	257	11.7 (19)	118	23.7 (7)	147	8.2 (11)	786	76.8 (60)	1,649	8.6 (32)
Marathon C	625	59.0 (48)	324	21.9 (30)	382	9.4 (33)	207	15.9 (15)	287	5.9 (19)	1,274	82.3 (44)	2,673	7.2 (21)
Marinette	222	50.0 (56)	110	21.8 (31)	160	3.1 (41)	72	* *	104	11.5 (7)	525	86.3 (20)	1,046	11.4 (57)
Marquette	59	* *	22	* *	41	* *	26	* *	16	* *	123	74.8 (64)	247	15.0 (67)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 4  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Menominee	146	66.4 (31)	57	* *	94	* *	32	* *	54	* *	289	89.3 (8)	555	7.6 (23)
Milwaukee	9,561	61.8 (43)	3,933	24.1 (25)	6,142	11.9 (18)	2,593	9.3 (22)	3,695	3.1 (29)	17,901	78.4 (58)	37,740	11.6 (58)
Monroe	272	69.5 (21)	122	32.8 (8)	182	13.7 (14)	90	* *	109	12.8 (4)	521	85.6 (24)	1,142	10.0 (45)
Oconto	136	59.6 (46)	75	* *	91	* *	42	* *	68	* *	308	84.7 (29)	631	12.8 (62)
Oneida	163	58.3 (50)	69	* *	80	* *	59	* *	67	* *	283	91.9 (3)	631	8.7 (35)
Outagamie	678	66.5 (30)	250	28.0 (17)	363	9.9 (32)	221	19.5 (12)	246	7.7 (13)	1,251	82.1 (45)	2,575	5.9 (11)
Ozaukee	134	76.9 (4)	58	* *	72	* *	62	* *	56	* *	225	83.6 (36)	489	5.3 (6)
Pepin	27	* *	17	* *	20	* *	12	* *	17	* *	84	* *	149	13.4 (63)
Pierce	155	73.5 (10)	83	* *	103	10.7 (25)	70	* *	78	* *	360	90.8 (4)	716	10.8 (55)
Polk	259	76.1 (7)	121	36.4 (4)	149	10.1 (31)	95	* *	111	12.6 (5)	434	82.0 (46)	977	8.1 (26)
Portage	275	72.0 (14)	117	31.6 (10)	159	13.8 (13)	99	* *	108	10.2 (9)	549	88.5 (12)	1,198	6.7 (16)
Price	79	* *	52	* *	66	* *	27	* *	41	* *	259	82.6 (42)	475	9.7 (43)
Racine Cou	1,456	59.2 (47)	559	22.2 (29)	786	10.3 (29)	413	11.9 (20)	541	4.1 (25)	2,510	79.5 (54)	5,404	9.4 (41)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 5  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
County	Number  % Ever Breastfed  (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  % Breastfed At Least 12 Months (Rank)	Number  % Breastfed At Least 3 Months (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  %  (Rank)	Number  %  (Rank)
Richland C	99        *   *	40        *   *	55        *   *	31        *   *	36        *   *	182       83.0 (40)	396       6.1   (13)
Rock	1,073    49.0 (57)	438     20.8 (33)	652     10.7 (25)	313     9.6   (21)	409     3.2 (28)	1,840    84.1 (33)	4,035    8.6   (32)
Rusk	85        *   *	42        *   *	72        *   *	23        *   *	37        *   *	204       84.3 (32)	414       11.8 (59)
Sauk	346       77.7 (1)	182      36.8 (3)	203      17.2 (3)	176      24.4 (6)	175      7.4 (14)	669       78.9 (55)	1,445    10.9 (56)
Sawyer	134       73.1 (11)	61        *   *	88        *   *	41        *   *	58        *   *	299       84.9 (28)	633       10.1 (48)
Shawano	209       66.0 (34)	100       20.0 (34)	156       10.3 (29)	59        *   *	95        *   *	480       85.2 (26)	969       9.7   (43)
Sheboygan	567       64.6 (36)	239       25.9 (21)	403       11.4 (22)	208       14.4 (18)	228       8.3 (10)	1,150    83.0 (40)	2,376    8.9   (36)
St. Croix	292       76.4 (6)	148       32.4 (9)	165       18.8 (2)	103       30.1 (3)	145       14.5 (2)	546       80.6 (51)	1,179    5.3   (6)
Taylor	120       68.3 (23)	47        *   *	65        *   *	32        *   *	42        *   *	202       78.2 (59)	450       11.8 (59)
Trempealea	195       67.7 (26)	99        *   *	108       15.7 (9)	80        *   *	92        *   *	371       95.7 (2)	795       4.4   (3)
Vernon	182       72.0 (14)	79        *   *	116       17.2 (3)	57        *   *	71        *   *	360       85.8 (23)	751       7.3   (22)
Vilas	115       56.5 (53)	63        *   *	90        *   *	49        *   *	58        *   *	276       81.5 (48)	555       14.4 (65)
Walworth	521       77.4 (2)	289       37.0 (2)	283       16.6 (6)	229       24.5 (5)	273       5.9 (19)	906       84.7 (29)	2,050    5.8   (10)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 6  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
County	Number  % Ever Breastfed  (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  % Breastfed At Least 12 Months (Rank)	Number  % Breastfed At Least 3 Months (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  %  (Rank)	Number  %  (Rank)
Washburn	92        *   *	53        *   *	68        *   *	34        *   *	42        *   *	223       70.4 (67)	448       6.7   (16)
Washington	403       72.2 (12)	159       33.3 (7)	250       14.4 (11)	126       31.0 (1)	155       7.1 (16)	695       89.4 (7)	1,503     6.5 (14)
Waukesha	651       70.7 (18)	284       30.6 (11)	311       14.1 (12)	239       14.6 (17)	273       4.4 (23)	1,044     83.5 (37)	2,425     6.6 (15)
Waupaca	219       63.5 (38)	101       33.7 (6)	153       11.1 (23)	76        *   *	94        *   *	361       88.6 (11)	833       14.8 (66)
Waushara C	113       66.4 (31)	61        *   *	75        *   *	41        *   *	50        *   *	234       75.2 (63)	494       10.3 (53)
Winnebago	678       63.1 (39)	289       22.8 (28)	385       8.3 (38)	214       15.0 (16)	281       5.3 (22)	1,115     83.7 (35)	2,505     6.8 (18)
Wood	464       52.4 (55)	165       26.1 (20)	218       12.4 (15)	132       26.5 (4)	142       14.1 (3)	672       85.0 (27)	1,529     8.6 (32)
Wisconsin	31,985    64.6	13,963    27.1	19,862    12.3	10,160    15.7	12,963    6.3	60,419    81.8	127,950    9.3
Nation (Prior Year)	1,747,004 59.8	874,434    25.4	979,105    17.5	127,047    10.2	182,064    5.2	687,613    75.0	3,047,308 11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 3 / 13 / 09

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Adams Cty	352	10.8 (68)	9.4 (44)	1,500	5.9 (52)	3.1 (36)	14.7 (61)	683	17.6 (44)	13.8 (41)	1,091 8.0 (36)
Ashland	421	5.2 (3)	11.6 (64)	1,960	5.4 (39)	3.6 (46)	11.7 (22)	952	14.3 (13)	11.7 (21)	1,522 5.7 (23)
Barron	835	8.4 (48)	9.5 (45)	3,236	5.3 (36)	2.4 (13)	12.6 (35)	1,361	17.4 (43)	14.1 (48)	2,281 8.3 (38)
Bayfield C	243	6.2 (13)	12.3 (66)	1,054	4.5 (16)	5.6 (68)	12.8 (39)	512	20.1 (64)	14.3 (50)	798 4.3 (13)
Brown	4,765	7.6 (32)	8.8 (37)	18,752	4.6 (17)	4.4 (59)	12.8 (39)	8,600	14.0 (10)	13.1 (28)	13,926 5.7 (23)
Buffalo	197	8.6 (52)	6.6 (6)	794	2.9 (2)	2.6 (16)	9.8 (8)	353	18.4 (50)	13.3 (35)	564 12.6 (66)
Burnett	366	7.1 (20)	9.0 (41)	1,585	4.7 (20)	4.0 (52)	13.4 (47)	727	16.0 (24)	14.0 (46)	1,191 4.3 (13)
Calumet	448	9.8 (63)	7.8 (19)	1,840	6.6 (65)	4.0 (52)	12.1 (27)	850	17.1 (39)	14.7 (54)	1,385 4.6 (16)
Chippewa	1,005	7.5 (30)	7.4 (15)	4,092	6.2 (61)	3.1 (36)	11.0 (14)	1,838	15.6 (21)	11.5 (19)	3,022 8.5 (42)
Clark	532	11.1 (69)	7.7 (17)	2,279	5.4 (39)	3.0 (31)	14.1 (53)	1,026	16.9 (35)	16.2 (62)	1,670 13.5 (69)
Columbia	640	9.2 (60)	9.7 (51)	2,474	6.0 (54)	3.7 (47)	11.6 (20)	1,032	16.0 (24)	14.0 (46)	1,723 6.7 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	244	7.8 (34)	8.2 (26)	914	6.6 (65)	3.1 (36)	10.7 (12)	389	15.2 (20)	11.3 (15)		630	9.8 (50)
Dane	5,489	8.1 (43)	8.5 (33)	20,124	5.0 (27)	2.9 (26)	12.6 (35)	8,552	13.3 (7)	11.1 (14)		14,393	10.6 (58)
Dodge	949	8.9 (58)	7.0 (12)	3,700	4.6 (17)	4.6 (61)	9.2 (3)	1,633	11.3 (4)	8.1 (2)		2,636	6.2 (26)
Door	328	5.2 (3)	8.5 (33)	1,357	3.5 (4)	2.9 (26)	9.2 (3)	644	18.9 (55)	13.2 (31)		998	4.1 (12)
Douglas Ct	823	5.1 (1)	11.5 (63)	3,500	4.1 (8)	3.9 (51)	12.5 (31)	1,589	19.1 (58)	14.5 (51)		2,378	13.9 (70)
Dunn	631	6.2 (13)	10.1 (57)	2,804	6.0 (54)	4.4 (59)	11.7 (22)	1,286	17.0 (37)	13.0 (27)		2,035	3.4 (4)
Eau Claire	1,683	6.2 (13)	8.6 (35)	6,912	5.7 (48)	2.2 (10)	10.5 (10)	3,068	15.8 (23)	10.9 (12)		5,085	11.6 (64)
Florence	70	* *	* *	351	7.4 (69)	1.4 (2)	10.5 (10)	180	15.0 (18)	8.3 (3)		248	11.3 (63)
Fond du La	1,394	9.0 (59)	6.5 (5)	5,662	6.4 (63)	3.4 (43)	9.2 (3)	2,563	14.6 (15)	8.9 (4)		4,192	8.9 (45)
Forest	233	8.6 (52)	8.2 (26)	1,050	5.5 (43)	3.3 (41)	17.2 (69)	508	16.9 (35)	19.3 (69)		770	10.8 (59)
Grant Cty	801	6.9 (18)	9.7 (51)	3,475	4.2 (10)	4.2 (56)	9.8 (8)	1,590	14.8 (16)	11.4 (17)		2,596	4.7 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 3  
Run Date: 3 / 13 / 09

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Green Cty	472	8.5 (49)	9.7 (51)	1,911	7.8 (71)	2.8 (21)	17.4 (70)	807	20.6 (66)	24.3 (72)	1,353 8.1 (37)
Green Lake	237	7.2 (26)	10.1 (57)	903	3.3 (3)	4.0 (52)	13.1 (42)	382	13.4 (8)	12.8 (26)	637 10.4 (53)
Iowa Cty	303	8.6 (52)	7.6 (16)	1,016	5.3 (36)	2.8 (21)	13.1 (42)	384	20.3 (65)	13.8 (41)	658 8.4 (41)
Iron Cty	62	* *	* *	277	6.9 (68)	5.8 (70)	15.9 (66)	137	21.2 (68)	13.1 (28)	210 10.5 (55)
Jackson	456	5.9 (6)	13.4 (67)	2,051	5.0 (27)	2.9 (26)	14.2 (54)	952	22.0 (69)	14.5 (51)	1,443 9.7 (49)
Jefferson	1,217	5.9 (6)	8.4 (29)	5,081	3.5 (4)	3.3 (41)	11.8 (25)	2,211	17.0 (37)	15.7 (61)	3,637 5.4 (20)
Juneau	563	6.0 (9)	9.2 (43)	2,295	5.6 (45)	2.1 (7)	14.6 (58)	1,016	17.9 (47)	13.2 (31)	1,640 7.0 (33)
Kenosha	3,212	9.7 (62)	6.1 (4)	11,689	7.6 (70)	2.4 (13)	14.7 (61)	4,847	16.2 (27)	13.9 (44)	8,073 16.9 (71)
Kewaunee	215	7.9 (39)	8.4 (29)	933	4.9 (24)	1.3 (1)	15.9 (66)	427	18.7 (53)	14.5 (51)	685 12.7 (67)
La Crosse	1,741	7.3 (28)	9.6 (47)	6,786	6.4 (63)	4.0 (52)	11.3 (17)	3,061	19.0 (57)	12.4 (23)	5,026 6.6 (30)
Lafayette	184	7.1 (20)	6.0 (3)	712	6.7 (67)	2.8 (21)	12.4 (30)	287	24.4 (72)	13.9 (44)	496 10.5 (55)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	347	7.5 (30)	8.9 (39)	1,386	5.2 (32)	2.1 (7)	12.6 (35)	616	18.7 (53)	13.8 (41)		1,036	11.0 (61)
Lincoln Ct	351	7.1 (20)	8.8 (37)	1,314	6.0 (54)	1.6 (3)	14.3 (56)	598	17.1 (39)	15.2 (57)		951	2.9 (1)
Manitowoc	1,113	8.5 (49)	7.3 (14)	4,645	5.2 (32)	2.7 (18)	13.0 (41)	2,082	19.1 (58)	14.8 (55)		3,299	10.1 (52)
Marathon C	1,871	7.1 (20)	5.8 (1)	7,476	8.6 (72)	1.8 (5)	13.2 (44)	3,232	18.4 (50)	13.2 (31)		5,522	3.5 (5)
Marinette	688	6.8 (17)	9.6 (47)	3,094	4.7 (20)	4.8 (64)	9.7 (7)	1,414	9.0 (1)	7.1 (1)		2,327	3.7 (7)
Marquette	164	6.1 (10)	7.9 (22)	673	4.6 (17)	5.3 (66)	13.4 (47)	299	14.4 (14)	12.0 (22)		475	9.5 (48)
Menominee	421	6.9 (18)	12.1 (65)	1,640	2.1 (1)	1.6 (3)	21.0 (72)	771	23.2 (70)	20.5 (71)		1,228	3.9 (9)
Milwaukee	28,429	9.9 (65)	5.9 (2)	108,344	5.8 (50)	4.3 (57)	12.5 (31)	47,192	16.2 (27)	13.7 (40)		77,094	17.4 (72)
Monroe	797	7.7 (33)	8.4 (29)	3,116	5.5 (43)	2.2 (10)	14.8 (63)	1,307	15.1 (19)	12.4 (23)		2,190	5.5 (21)
Oconto	441	7.9 (39)	7.9 (22)	1,775	5.3 (36)	3.4 (43)	16.9 (68)	778	17.7 (46)	19.3 (69)		1,283	7.5 (35)
Oneida	461	8.5 (49)	8.0 (24)	1,772	4.7 (20)	4.7 (63)	8.5 (1)	729	13.7 (9)	9.2 (7)		1,218	6.5 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and  $\geq$  95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 5  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,943	9.5 (61)	6.8 (8)	7,437	5.1 (29)	4.9 (65)	11.6 (20)	3,423	18.2 (48)	14.1 (48)		4,984	9.1 (46)
Ozaukee	374	6.1 (10)	10.2 (59)	1,400	6.1 (59)	3.0 (31)	12.1 (27)	586	13.1 (5)	9.0 (5)		981	8.3 (38)
Pepin	81	* *	* *	374	4.3 (11)	5.6 (68)	11.2 (15)	182	20.9 (67)	15.4 (60)		282	12.4 (65)
Pierce	476	5.7 (5)	9.5 (45)	2,097	6.2 (61)	2.1 (7)	12.5 (31)	977	18.9 (55)	10.4 (10)		1,567	10.9 (60)
Polk	721	7.8 (34)	6.8 (8)	2,606	4.1 (8)	4.3 (57)	8.9 (2)	1,076	14.2 (11)	9.1 (6)		1,835	8.8 (44)
Portage	863	7.3 (28)	9.6 (47)	3,459	6.0 (54)	2.9 (26)	11.2 (15)	1,452	14.9 (17)	11.6 (20)		2,429	4.5 (15)
Price	256	6.3 (16)	9.0 (41)	1,374	3.6 (7)	3.1 (36)	12.3 (29)	677	17.6 (44)	13.1 (28)		1,081	3.5 (5)
Racine Cou	4,099	9.8 (63)	6.8 (8)	15,046	5.4 (39)	3.0 (31)	13.3 (45)	6,394	16.6 (32)	13.3 (35)		10,689	10.5 (55)
Richland C	255	5.1 (1)	15.3 (69)	1,024	4.9 (24)	2.6 (16)	14.4 (57)	453	23.2 (70)	17.4 (65)		716	11.2 (62)
Rock	3,198	8.7 (56)	8.1 (25)	11,629	5.2 (32)	3.7 (47)	13.3 (45)	4,737	16.2 (27)	13.5 (39)		7,963	9.2 (47)
Rusk	288	8.0 (41)	11.1 (62)	1,280	4.4 (12)	1.8 (5)	14.6 (58)	610	18.2 (48)	16.2 (62)		956	4.8 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 6  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	992	6.1 (10)	10.0 (56)	4,023	6.0 (54)	2.3 (12)	15.1 (64)	1,738	18.4 (50)	18.3 (67)	2,856	6.2 (26)
Sawyer	421	5.9 (6)	10.5 (61)	1,822	4.4 (12)	3.0 (31)	12.5 (31)	801	19.1 (58)	15.2 (57)	1,340	6.9 (32)
Shawano	642	8.1 (43)	7.8 (19)	2,703	4.9 (24)	2.9 (26)	13.5 (50)	1,225	14.2 (11)	11.0 (13)	2,051	6.0 (25)
Sheboygan	1,671	7.8 (34)	6.8 (8)	6,574	5.6 (45)	5.5 (67)	11.9 (26)	2,937	16.0 (24)	13.3 (35)	4,818	3.9 (9)
St. Croix	853	8.3 (46)	9.6 (47)	3,287	5.8 (50)	2.8 (21)	11.5 (18)	1,391	17.2 (42)	12.7 (25)	2,299	3.8 (8)
Taylor	333	7.8 (34)	9.9 (54)	1,304	3.5 (4)	6.1 (71)	10.7 (12)	583	11.0 (2)	10.1 (9)	972	3.1 (2)
Trempealea	574	7.1 (20)	9.9 (54)	2,227	4.4 (12)	4.6 (61)	15.3 (65)	984	19.5 (62)	15.2 (57)	1,583	10.0 (51)
Vernon	459	8.7 (56)	13.5 (68)	2,027	5.2 (32)	2.8 (21)	13.6 (51)	916	17.1 (39)	16.2 (62)	1,473	5.6 (22)
Vilas	385	7.8 (34)	10.4 (60)	1,496	4.4 (12)	2.7 (18)	17.6 (71)	625	19.8 (63)	18.7 (68)	1,045	3.3 (3)
Walworth	1,476	7.2 (26)	8.6 (35)	5,752	5.4 (39)	2.7 (18)	12.7 (38)	2,350	15.6 (21)	15.0 (56)	3,978	7.1 (34)
Washburn	304	8.6 (52)	8.9 (39)	1,294	4.8 (23)	6.3 (72)	9.4 (6)	591	11.2 (3)	9.3 (8)	943	5.3 (19)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and  $\geq$  95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 7  
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	1,132	8.3 (46)	6.7 (7)	4,093	6.1 (59)	3.7 (47)	11.7 (22)	1,738	16.3 (30)	10.7 (11)	2,875	8.5 (42)
Waukesha	1,968	8.2 (45)	7.8 (19)	7,109	5.1 (29)	2.5 (15)	13.4 (47)	2,777	16.7 (34)	13.2 (31)	4,514	6.2 (26)
Waupaca	669	10.6 (67)	8.4 (29)	2,421	5.9 (52)	3.8 (50)	13.8 (52)	1,000	13.2 (6)	11.4 (17)	1,643	4.0 (11)
Waushara C	338	8.0 (41)	7.7 (17)	1,377	5.1 (29)	3.5 (45)	14.6 (58)	610	19.3 (61)	17.9 (66)	972	10.4 (53)
Winnebago	1,954	9.9 (65)	7.2 (13)	7,502	5.7 (48)	3.1 (36)	14.2 (54)	3,100	16.5 (31)	13.4 (38)	5,290	12.8 (68)
Wood	1,222	7.1 (20)	8.2 (26)	4,307	5.6 (45)	3.0 (31)	11.5 (18)	1,759	16.6 (32)	11.3 (15)	2,887	8.3 (38)
Unknown Counties	0	* *	* *	40	* *	* *	* *	21	* *	* *	33	* *
Wisconsin	94,141	8.6	7.6	365,388	5.5	3.6	12.6	159,178	16.2	13.3	260,670	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and  $\geq$  95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 1  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adams Cty	378	64.3 (45)	274	15.3 (66)	261	7.3 (65)	238	13.9 (31)	254	4.7 (53)	741	80.0 (59)	807	23.9 (71)
Ashland	444	65.5 (39)	336	28.6 (12)	341	19.1 (3)	284	18.0 (15)	305	12.1 (3)	1,046	86.4 (18)	1,030	11.2 (49)
Barron	913	68.1 (31)	604	22.8 (30)	564	9.8 (50)	569	15.5 (24)	543	5.9 (42)	1,471	80.8 (50)	1,800	8.7 (22)
Bayfield C	244	72.5 (12)	174	37.4 (2)	180	19.4 (2)	146	28.8 (1)	147	13.6 (2)	570	84.2 (35)	573	10.3 (41)
Brown	5,095	61.5 (50)	3,383	20.5 (47)	3,512	11.8 (31)	2,989	7.6 (60)	2,947	3.6 (60)	9,311	78.6 (62)	10,534	9.3 (24)
Buffalo	207	73.4 (10)	138	21.7 (37)	136	12.5 (25)	126	10.3 (50)	119	7.6 (20)	380	87.6 (11)	449	7.1 (10)
Burnett	381	69.6 (23)	282	19.5 (54)	284	9.5 (53)	257	14.8 (27)	251	7.2 (25)	760	95.8 (1)	868	14.1 (58)
Calumet	484	62.8 (47)	315	22.2 (34)	325	10.8 (42)	289	14.5 (28)	282	10.3 (7)	922	80.8 (50)	1,052	8.5 (20)
Chippewa	1,071	66.4 (36)	703	20.6 (46)	723	9.0 (54)	602	13.1 (35)	597	6.5 (33)	1,991	87.6 (11)	2,270	9.7 (28)
Clark	585	73.3 (11)	395	19.2 (55)	391	7.2 (66)	366	12.8 (38)	371	3.2 (62)	1,137	84.4 (30)	1,240	9.8 (31)
Columbia	714	69.6 (23)	476	26.7 (17)	439	13.9 (16)	407	16.7 (21)	391	6.9 (29)	1,109	81.7 (45)	1,488	10.3 (41)
Crawford C	265	64.9 (42)	162	22.2 (34)	166	16.3 (6)	145	17.2 (19)	143	7.0 (27)	417	85.6 (24)	556	8.6 (21)
Dane	6,010	75.5 (6)	3,908	38.3 (1)	3,757	22.5 (1)	3,403	13.9 (31)	3,269	9.5 (9)	9,205	84.3 (31)	11,789	7.3 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 2  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dodge	1,056	74.5 (8)	673	28.1 (13)	641	16.1 (8)	642	20.9 (7)	616	11.0 (5)	1,748	88.4 (9)	2,214	7.1 (10)
Door	347	71.2 (15)	216	29.6 (8)	237	11.4 (37)	206	21.4 (3)	200	8.0 (16)	680	84.3 (31)	770	7.9 (17)
Douglas Ct	910	69.5 (25)	617	26.9 (15)	616	13.6 (19)	597	21.4 (3)	576	13.7 (1)	1,696	88.6 (7)	1,975	10.1 (38)
Dunn	690	68.6 (28)	478	22.8 (30)	470	9.8 (50)	444	20.5 (9)	434	11.1 (4)	1,389	80.7 (52)	1,577	6.2 (4)
Eau Claire	1,793	70.6 (16)	1,213	20.9 (42)	1,240	8.8 (57)	1,104	11.2 (44)	1,099	5.4 (47)	3,329	84.3 (31)	3,763	7.0 (8)
Florence	79	* *	54	* *	51	* *	43	* *	43	* *	193	88.6 (7)	205	10.2 (40)
Fond du La	1,513	67.7 (34)	1,033	24.3 (22)	1,033	11.2 (39)	995	16.8 (20)	961	6.3 (35)	2,785	86.0 (21)	3,205	10.1 (38)
Forest	247	52.2 (67)	176	19.9 (51)	179	7.8 (63)	150	10.0 (52)	153	3.9 (59)	570	76.7 (68)	564	21.6 (70)
Grant Cty	867	62.6 (48)	617	23.8 (28)	592	11.8 (31)	423	13.2 (34)	427	7.0 (27)	1,720	82.7 (41)	1,912	9.0 (23)
Green Cty	523	60.2 (55)	359	21.2 (40)	375	12.0 (28)	337	17.8 (16)	335	6.3 (35)	895	87.5 (13)	1,099	15.7 (65)
Green Lake	261	52.9 (66)	173	13.3 (67)	165	6.7 (68)	116	6.0 (65)	117	4.3 (55)	419	75.2 (70)	526	9.7 (28)
Iowa Cty	328	65.9 (38)	208	22.6 (33)	183	12.6 (24)	194	15.5 (24)	191	7.9 (19)	409	86.6 (15)	621	9.8 (31)
Iron Cty	73	* *	50	* *	44	* *	49	* *	41	* *	146	92.5 (2)	171	9.4 (25)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 3  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jackson	487	71.7 (13)	356	22.8 (30)	359	12.8 (23)	303	11.9 (41)	301	6.6 (32)	1,039	84.8 (29)	1,084	12.3 (53)
Jefferson	1,355	69.4 (27)	984	24.9 (20)	908	13.8 (17)	830	7.2 (61)	826	5.1 (49)	2,394	86.5 (16)	2,881	9.8 (31)
Juneau	578	69.9 (22)	427	24.1 (26)	394	10.9 (41)	402	16.4 (22)	398	8.5 (12)	1,103	82.8 (40)	1,258	20.0 (69)
Kenosha	3,419	59.5 (57)	2,039	18.5 (58)	2,046	8.9 (56)	1,956	5.6 (66)	1,848	2.9 (65)	5,213	81.1 (48)	6,892	13.6 (55)
Kewaunee	237	71.3 (14)	152	24.3 (22)	146	12.3 (26)	122	21.3 (6)	120	8.3 (14)	467	69.2 (72)	521	9.4 (25)
La Crosse	1,894	70.1 (20)	1,233	24.6 (21)	1,185	13.1 (21)	1,025	11.2 (44)	988	5.0 (51)	3,293	86.4 (18)	3,927	4.3 (1)
Lafayette	186	65.1 (40)	129	26.4 (18)	123	12.2 (27)	117	10.3 (50)	119	5.9 (42)	319	84.3 (31)	416	8.4 (19)
Langlade C	377	54.6 (64)	262	13.0 (68)	264	7.6 (64)	219	7.8 (59)	222	3.2 (62)	667	81.1 (48)	808	16.6 (67)
Lincoln Ct	372	61.3 (51)	232	18.1 (61)	204	8.8 (57)	201	10.0 (52)	192	4.2 (56)	636	86.2 (20)	761	15.0 (62)
Manitowoc	1,201	58.7 (59)	769	19.6 (52)	812	11.7 (34)	723	11.1 (46)	708	5.9 (42)	2,259	77.0 (67)	2,550	12.7 (54)
Marathon C	2,051	57.6 (61)	1,426	17.0 (63)	1,290	9.0 (54)	1,251	9.3 (55)	1,206	4.1 (57)	3,512	80.5 (55)	4,240	8.1 (18)
Marinette	735	49.3 (69)	519	16.2 (65)	554	6.9 (67)	462	9.5 (54)	476	5.5 (46)	1,542	86.0 (21)	1,711	15.2 (63)
Marquette	182	59.9 (56)	106	20.8 (43)	114	14.9 (13)	81	* *	65	* *	324	76.5 (69)	387	15.8 (66)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 4  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Menominee	434	67.3 (35)	301	21.3 (39)	321	10.3 (46)	256	2.7 (68)	275	1.5 (68)	836	90.2 (5)	861	10.7 (44)
Milwaukee	29,876	61.0 (53)	19,463	21.2 (40)	20,084	11.9 (30)	17,111	6.3 (64)	17,155	2.8 (66)	51,101	77.5 (64)	59,862	14.1 (58)
Monroe	897	68.2 (29)	578	20.1 (49)	570	11.2 (39)	527	10.4 (49)	498	5.4 (47)	1,399	82.3 (42)	1,735	11.4 (51)
Oconto	464	53.4 (65)	331	13.0 (68)	308	5.8 (69)	308	5.2 (67)	310	2.3 (67)	840	81.5 (46)	999	14.0 (57)
Oneida	499	60.9 (54)	313	23.3 (29)	289	11.8 (31)	305	20.0 (11)	289	8.0 (16)	768	92.3 (3)	1,034	9.8 (31)
Outagamie	2,095	64.8 (43)	1,290	20.8 (43)	1,321	10.3 (46)	1,267	14.4 (29)	1,205	6.0 (41)	3,648	80.5 (55)	4,419	7.4 (15)
Ozaukee	458	75.8 (5)	275	31.3 (5)	262	14.1 (14)	280	24.6 (2)	264	7.6 (20)	640	80.3 (57)	879	7.2 (12)
Pepin	89	* *	57	* *	56	* *	43	* *	45	* *	190	86.8 (14)	195	9.7 (28)
Pierce	514	67.9 (33)	357	21.6 (38)	347	8.1 (61)	350	17.7 (18)	324	8.0 (16)	1,045	90.0 (6)	1,179	10.9 (46)
Polk	776	75.9 (4)	510	25.9 (19)	466	10.7 (43)	444	21.4 (3)	436	8.5 (12)	1,154	79.3 (61)	1,516	10.0 (36)
Portage	937	68.2 (29)	619	24.1 (26)	555	13.0 (22)	576	13.5 (33)	540	6.1 (40)	1,595	88.1 (10)	1,926	5.5 (2)
Price	282	70.2 (18)	233	31.3 (5)	233	15.9 (9)	172	11.6 (43)	180	7.2 (25)	745	79.9 (60)	703	13.7 (56)
Racine Cou	4,363	58.5 (60)	2,742	18.3 (60)	2,618	10.3 (46)	2,511	7.1 (62)	2,468	3.4 (61)	6,928	77.5 (64)	8,490	10.7 (44)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 5  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Richland C	290	77.6 (1)	181	24.3 (22)	171	14.0 (15)	163	17.8 (16)	162	9.9 (8)	479	81.2 (47)	587	6.8 (7)
Rock	3,387	51.6 (68)	2,116	18.5 (58)	2,122	10.7 (43)	1,857	6.7 (63)	1,795	3.1 (64)	5,116	85.1 (27)	6,561	10.9 (46)
Rusk	301	61.1 (52)	194	19.6 (52)	199	11.6 (36)	157	10.8 (47)	159	6.3 (35)	661	85.6 (24)	702	14.1 (58)
Sauk	1,123	76.0 (3)	787	31.9 (4)	693	15.3 (11)	780	20.9 (7)	714	8.7 (10)	1,868	83.7 (37)	2,282	27.2 (72)
Sawyer	461	65.1 (40)	323	16.4 (64)	331	7.9 (62)	290	12.4 (39)	286	6.3 (35)	851	85.3 (26)	959	11.7 (52)
Shawano	697	66.0 (37)	478	20.5 (47)	495	10.7 (43)	418	9.3 (55)	429	6.5 (33)	1,347	84.0 (36)	1,509	10.9 (46)
Sheboygan	1,823	64.5 (44)	1,240	24.3 (22)	1,299	13.5 (20)	1,146	9.3 (55)	1,113	4.8 (52)	3,155	80.7 (52)	3,712	9.9 (35)
St. Croix	933	73.6 (9)	588	28.9 (10)	554	15.7 (10)	562	18.3 (14)	527	8.7 (10)	1,476	77.4 (66)	1,932	7.0 (8)
Taylor	348	68.1 (31)	219	21.9 (36)	225	13.8 (17)	186	15.6 (23)	184	7.6 (20)	623	80.7 (52)	756	18.8 (68)
Trempealea	598	70.2 (18)	388	28.9 (10)	373	16.4 (5)	338	11.8 (42)	328	4.0 (58)	1,075	91.8 (4)	1,292	5.7 (3)
Vernon	510	74.7 (7)	359	34.0 (3)	357	16.5 (4)	315	20.3 (10)	299	10.7 (6)	1,002	84.9 (28)	1,107	7.2 (12)
Vilas	413	55.2 (63)	294	20.1 (49)	280	11.4 (37)	270	12.2 (40)	267	6.7 (31)	705	80.1 (58)	797	14.4 (61)
Walworth	1,659	77.1 (2)	1,131	31.3 (5)	1,006	15.2 (12)	1,082	19.5 (12)	1,050	5.6 (45)	2,544	83.1 (39)	3,363	6.5 (6)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 6  
Run Date: 3 / 13 / 09

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Washburn	342	70.5 (17)	256	27.0 (14)	252	9.9 (49)	211	14.2 (30)	215	5.1 (49)	635	77.8 (63)	720	6.3 (5)
Washington	1,253	70.0 (21)	740	26.9 (15)	768	12.0 (28)	723	19.1 (13)	696	7.6 (20)	1,864	86.5 (16)	2,415	9.4 (25)
Waukesha	2,174	69.5 (25)	1,371	29.0 (9)	1,191	16.3 (6)	1,296	13.0 (36)	1,266	6.9 (29)	2,994	81.9 (44)	4,276	7.5 (16)
Waupaca	713	61.7 (49)	443	20.8 (43)	421	9.7 (52)	401	13.0 (36)	390	6.2 (39)	1,067	85.8 (23)	1,402	15.5 (64)
Waushara C	372	59.4 (58)	238	18.1 (61)	222	8.6 (60)	176	9.1 (58)	164	7.3 (24)	648	73.9 (71)	780	10.5 (43)
Winnebago	2,165	63.0 (46)	1,359	19.1 (56)	1,271	8.8 (57)	1,257	10.7 (48)	1,253	4.7 (53)	3,308	83.3 (38)	4,312	11.3 (50)
Wood	1,307	56.5 (62)	758	18.6 (57)	745	11.7 (34)	687	15.1 (26)	643	8.1 (15)	1,906	82.3 (42)	2,520	10.0 (36)
Unknown Counties	0	* *	2	* *	2	* *	0	* *	2	* *	21	* *	30	* *
Wisconsin	101,105	64.2	66,185	22.9	65,711	12.2	59,278	10.7	58,212	5.1	172,041	81.3	206,306	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.